

STRUCTURE

2 - 11



CABIN

12 - 21



BI-PARTING DOORS 22 - 30



SWING DOORS

31 - 42



ELECTRICS

43 - 85



DRIVE MACHINE

86 - 101



Installation box (standard)

for upper/middle/lower structure part



TA 100 set



Installation box for ISO-MAX 750/1000

for upper structure element



TA 104 set



Installation box (standard)

for middle structure part



TA 101 set



Installation box for ISO-MAX 750/1000

for structure element 2000 mm



TA 105 set



Installation box for lifts with safety gear

for upper/middle/lower structure part



TA 102 set



Installation box for ISO-MAX 750/1000

for structure element 1000 mm



TA 106 set



Installation box for lifts with safety gear

for middle structure part




TA 103 set



Installation box for ISO-MAX 500

for upper/middle/lower structure part



TA 107 set



Installation box for ISO-MAX 500

for middle structure part 2000 mm



TA 108 set



Holding bracket for anti-slip device

type Bode

TA 809 piece



Overspeed governor

standard

TA 814 piece



Anti-slip device for overspeed governor

type Jungblut

TA 810 piece



Overspeed governor

with anti-slip device

TA 813 piece



Electrical remote release

for 128 DLS

TA 812 piece



Anti-slip device for overspeed governor

AS 24 V DC
type Bode

TA 808 piece



Electrical remote release

for Jungblut-HJ 200

TA 811 piece



Pulley supporter galvanized

2 mm

individual perforated

Please give us the SKG lift number!

TA 212 piece



Guide rail 70 x 65 x 9 mm

for ISO-MAX

Please give us the length!

TA 208 m



Machine supporter galvanized

3 mm

individually perforated

Please give us the SKG lift number!

TA 211 piece



Standard door guide rail

Please give us the length
or the SKG lift number!

TA 213.1 m



Guide rail 45 x 45 x 5 mm

rolled

Please give us the length!

TA 206 m



Counterweight guide rail

for riveting

Please give us the length!

TA 205 m



Guide rail 45 x 45 x 5 mm

drawn

Please give us the length!

TA 207 m



Counterweight guide rail

for bolting

Please give us the length!

TA 205.1 m



Corner angle 3 mm (standard)

for riveting

Please give us the length!



TA 209 m

Structure bracket

diagonal

Please give us the length
or the SKG lift number!



TA 204 piece

Corner angle 3 mm

for bolting

Please give us the length!



TA 210.1 m

Structure bracket

front and rear side

Please give us the length
or the SKG lift number!



TA 201 piece

Corner angle 4 mm

for bolting

Please give us the length!



TA 210 m

Structure bracket (hat profile)

for standard structure
left and right side

Please give us the length
or the SKG lift number!



TA 202 piece

Angle plate

for cabin traverse

Please give us the length
or the SKG lift number!



TA 200 piece

Structure bracket (hat profile)

for ISO-MAX structure

Please give us the length
or the SKG lift number!



TA 203 piece

Clamp plate 25 x 40 x 4 mm standard

cranked

TA 803 piece



Buffer 80 x 80 mm

TA 807 piece



Clamp plate 50 x 50 x 3 mm

stamped

TA 802 piece



Buffer 100 x 80 mm

TA 807.1 piece



Slide clamp Standard

for rail T45 drawn

TA 803.1 piece



Safety bar for 20 mm wide hat profile

TA 800.1 piece



Slide clamp 60 mm

for ISO-MAX structure with T70 rail

TA 804 piece



Safety bar for 30 mm wide hat profile

TA 800 piece



Retiring cam EMT 14



TB 201 piece

Circuit board

for retiring cam EMT 15



TB 202 piece

Retiring cam VB 19.14



TB 201.1 piece

Guide shoe 100 mm with insert for 5 mm guide rail

for goodslifts up to 500 kg capacity



TB 107.1 piece

Circuit board

for retiring cam EMT 14



TB 203 piece

Guide shoe 140 mm with insert for 9 mm guide rail

for goodslifts and ISO-MAX 750/1000



TB 107 piece

Retiring cam EMT 15



TB 200 piece


Guide shoe 140 mm with insert for 9 mm guide rail

for passenger lifts PA 300 and PM 225



TB 108 piece

Guide shoe with insert 14,5 mm



TB 102 piece

Car guide shoe angle standard

for the counterweight side



TB 115 pair

Standard car guide shoe with insert

- TB 119.4 for 110s installation side
- TB 119.1 for 140s installation side
- TB 119.2 for 160s installation side
- TB 119.3 for 180s installation side



piece

Guide shoe insert 5,2 mm



TB 101 piece

Car guide shoe for counterweight with insert

- TB 100 center mounted
- TB 100.1 mounted on the left
- TB 100.2 mounted on the right



piece

Guide shoe insert 100 mm

for 5 mm guide rail



TB 104 piece

Car guide shoe with insert standard

for the counterweight side



TB 119 piece

Guide shoe insert 140 mm

for 5 mm guide rail



TB 105 piece

Guide shoe insert 140 mm

for 9 mm guide rail



TB 106 piece

Holding angle for guide shoe


for undercounter lift
110s side
50s collar
right and left



TB 113 pair

Holding angle standard

for car guide shoe
110s side



TB 112 piece

Magnet holder incl. magnets

for AS controller



TB 800.1 piece

Holding angle

for car guide shoe
140s side



TB 112.1 piece

Magnet holder for relay controller incl. angle and magnets

for 110 - 220 sides



TB 800 piece

Holding angle


for car guide shoe
160s side



TB 112.2 piece

Fixed retiring cam

for door lock TV 3074



TB 207 piece

Exchange roller shutter

aluminium

up to 800 mm

TB 301 piece




Guide rail for roller shutter stainless steel

up to 800 mm

Please give us the length
or the SKG lift number!

TB 308.0800 pair



Exchange roller shutter

stainless steel

up to 800 mm

TB 302 piece




Guide rail for roller shutter stainless steel

up to 1000 mm

Please give us the length
or the SKG lift number!

TB 308.1000 pair



Exchange roller shutter

stainless steel

up to 1000 mm

TB 304 piece




Guide rail for roller shutter stainless steel

up to 1200 mm

Please give us the length
or the SKG lift number!

TB 308.1200 pair



Spring axle

for roller shutter 6, 10, 15 or 20 kg
please indicate the length

TB 307 piece



Holding plate

for roller shutter switch

TB 116 piece



Set of bolts and spring

for cabin drop bar



TB 309 set

Catch roller

for safety gear



TB 109 piece

Set of bolts and springs

for reinforced cabin drop bar



TB 310 piece

Upper roll with bolt

for fixed lattice gate




TB 403 piece

Handle for roller shutter

in stainless steel

Please give us the width of the cabin
or the SKG lift number!



TB 111 piece

Lower roll
with bolt and bearing

for turnable lattice gate



TB 402 piece

Cabin apron

up to cabin width ≤ 1000 mm

Please give us the width of the cabin
or the SKG lift number!



TB 110 piece

Guide block with bolt

for fixed lattice gate



TB 404 piece

Door lock TV 3074 right



TC 100 piece

Door lock TV 90 right



TC 110 piece

Door lock TV 3074 left



TC 102 piece

Door lock TV 90 left



TC 112 piece

Door lock TV 3074 right

for units with bi-parting cabin door



TC 114 piece

Door lock TV 90a right



TC 111 piece

Door lock TV 3074 left

for units with bi-parting cabin door



TC 115 piece

Door lock TV 90a left



TC 113 piece

Door lock DL1 right

replacement for door lock DLK 40



TC 104 piece

Door rope pulley left



TC 806 piece

Door lock DL1 left

replacement for door lock DLK 40



TC 104.1 piece

Door rope pulley right



TC 807 piece

Door contact bridge RZ



TC 201 piece

Door rope Ø 3 mm

Please give us the length
or the SKG lift number!



TC 808 m

Door contact RZ



TC 202 piece

Door rope set Ø 3 mm

for doors up to 1200 mm height



TC 810 set

Door rope clamp

for Ø 3 mm rope



TC 809 piece

Counterpart for lock TV 3074 incl. contact bridge RZ

length 194 mm,
on installations with bi-parting
cabin door and retiring cam



TC 200.3 piece

Counterpart for lock TV 3074 incl. contact bridge RZ

length 144 mm
standard



TC 200 piece

Counterpart left for lock TV 90 and TV 90a

incl. contact bridge RZ

Please give us the SKG lift number!



TC 204 piece

Counterpart for lock TV 3074 incl. contact bridge RZ

length 164 mm
on installations with retiring cam



TC 200.1 piece

Counterpart right for lock TV 90 and TV 90 a

incl. contact bridge RZ

Please give us the SKG lift number!



TC 205 piece

Counterpart for lock TV 3074 incl. contact bridge RZ

length 174 mm
on installation with bi-parting cabin door



TC 200.2 piece

Door handle for bi-parting doors in aluminium

door width up to 1000 mm

**Please give us the width of the cabin
or the SKG lift number!**



TC 814 piece

Door release key Standard

length 200 mm

TC 800 piece



Door guide shoe 41 x 41 x 5 m

for door E120

TC 805 piece



Door release key

length different 200 mm

Please give us the length!

TC 800.1 piece



Roller lever with 45 mm axle length

for door lock TV 3074

TC 105 piece



Buffer for bi-parting doors

15 x 8,5 M 4

TC 811 piece



Roller lever with 77 mm axle length

for door lock TV 3074a

TC 106 piece



Door guide shoe

Ø 27 mm

TC 804 piece



Roller lever with angle axle

for door lock TV 90 and 90a

TC 108 piece



Door release aperture cover

plastic



TC 802 piece

Door release aperture cover

PG 9



TC 801.1 piece

Door release aperture cover

PG 13,5



TC 801 piece

Door motor

with holding device and chain wheel



TC 813 piece

Door lock AV 15 right

with fail safety device in IP41



TD 119 piece

Door lock AV 15 left

with fail safety device in IP41



TD 118 piece

Door lock AV 20 right

with fail safety device



TD 103 piece

Door lock AV 20 left

with fail safety device



TD 102 piece

Door lock AV 21 right



TD 101 piece

Door lock AV 21 left



TD 100 piece

Door lock AV 25 right

with fail safety device



TD 107 piece

Door lock AV 25 left

with fail safety device



TD 106 piece

Roller lever for bracket SKG

for swing door with divertor device
axle 30 mm



TD 114 piece

Roller lever for bracket SKG

for ISO-MAX
axle 52 mm



TD 114.1 piece

Roller lever for bracket SKG

for ISO-D standard
axle 67 mm



TD 114.2 piece

Roller lever for bracket SKG

for door lock TV 3074a, swing door with divertor
device or bi-parting cabin door
axle 77 mm



TD 114.3 piece

Roller lever for bracket SKG

for ISO-D with fixed lattice gate
axle 110 mm

TD 114.4 piece



Door catch

for swing doors and car doors
up to 1200 mm height

TD 814 piece



Roller lever for bracket AY 03

TD 110 piece



Door catch

for swing doors over 1200 mm height

TD 815 piece



Roller bracket AY 03

TD 108 piece



Door closer for swing doors

as exchange

TD 810 piece



Roller bracket SKG

TD 109 piece



Door closer set for swing doors

for additional installation

TD 811 set



Bracket for door lock

TD 812 left
TD 813 right



piece

Door contact AZ 07 with bridge

for swing door



TD 202 piece

Door handle for swing door

polyamide



TD 807 piece

Door contact AZ 07 with bracket and bridge


for swing door



TD 202.1 piece

Door handle for swing door

stainless steel



TD 808 piece

Door contact bridge AZ 07 with bracket

for swing door



TD 202.2 piece

Door hinge stainless steel

90 x 160 x 3 mm



TD 824 piece

Door contact AZ 15 with bridge

waterproof IP67



TD 203 piece

Door contact AZ 01

for the standard machine room door



TD 201 piece

Door contact AZ 01 with bracket

for the standard machine room door



TD 201.1 piece

Door contact AZ 01 with bracket

for the machine room door E120



TD 201.2 piece

Reset magnet switch TRA 1300

emergency release



TD 821 piece

Sash lock with key for the machine room door

chromed and straight



TD 804 piece

Sash lock with triangular mechanism for the machine room door

chromed and straight



TD 804.1 piece

Sash lock with triangular mechanism for the machine room door

chromed and cranked



TD 806 piece

Sash lock with triangular mechanism for the machine room door

steel and cranked



TD 806.1 piece

Simultaneous locking cylinder for KABA locks

incl. 3 keys



TD 704 piece

Bascule lock



TD 823 piece

Semi profile cylinder 30 mm

incl. 3 keys



TD 700 piece

Standard bolt lock



TD 817 piece

Semi profile cylinder 40 mm

incl. 3 keys



TD 701 piece

Catch lock with bolt



TD 818 piece

Semi profile cylinder 60 mm

incl. 3 keys



TD 702 piece

Catch lock for profile cylinder

CH-Norm



TD 819 piece

Catch lock for KABA-cylinder

CH-Norm

TD 820 piece



Bolt lock for KABA-cylinder


TD 822 piece



Divertor device Standard for ISO-D

installation side 140 mm

TD 204.1 piece



Divertor device for ISO C/D


installation side 140 mm at door lock TV 90

TD 204 piece




Printed circuit board PL 102 A

TE 100 piece




Printed circuit board PL 102 A 2006

TE 100.1 piece




Printed circuit board PL 102 C

TE 134 piece




Printed circuit board PL 102 C 2006

TE 135 piece



Printed circuit board
PL 10 A


TE 101 piece



Printed circuit board
PL 11


3 stops

TE 103 piece



Printed circuit board
PL 10 A 2006


TE 101.1 piece



Printed circuit board
PL 11

4 stops


TE 104 piece



Printed circuit board
PL 11

1 stop


TE 102.1 piece



Printed circuit board
PL 11

5 stops


TE 105 piece



Printed circuit board
PL 11

2 stops


TE 102 piece



Printed circuit board
PL 11

6 stops


TE 106 piece



Printed circuit board PL 11
Version 2016

2 stops


TE 102.2 piece



Printed circuit board PL 11
Version 2016

6 stops


TE 106.2 piece



Printed circuit board PL 11
Version 2016

3 stops


TE 103.2 piece



Printed circuit board
PL 17

travel time monitoring


TE 107 piece



Printed circuit board PL 11
Version 2016

4 stops


TE 104.2 piece



Printed circuit board
PL 17 A

blink board
timer


TE 107.1 piece



Printed circuit board PL 11
Version 2016

5 stops

TE 105.2 piece



Printed circuit board
PL 14 B

time relay


Please indicate the capacitance of the capacitor.

TE 108 piece



Printed circuit board
PL 15

TE 138.1 piece




Multifunction relay

TE 170 piece



Switching amplifier
SKT1

TE 129 piece



Relay series 40 / 24 V DC

type 41.52.9.024.0000

TE 109.2 piece



Voltage balancer 24 V DC
with LED

24 V DC output
24 V AC/DC input

open version

TE 804 piece



Relay series 40 / 24 V AC

type 41.52.8.024.0000

TE 109.1 piece



Phase sequence relay

TE 313 230 V piece
TE 313.1 400 V piece



Example

Relay series 40 / 230 V AC

type 41.52.8.230.0000

TE 109.3 piece



Relay series 40 / 48 V AC

type 40.52.8.048.0000

TE 109.4 piece



Relay series 55 / 24 V AC

type 55.34.8.024.0050

TE 109.11 piece



Varistor

6 - 24 V AC/DC

TE 109.55 piece



Relay series 55 / 230 V AC

type 55.34.8.230.0050

TE 109.41 piece



Varistor

28 - 60 V AC/DC

TE 109.56 piece



Relay series 55 / 48 V AC

type 55.34.8.048.0040

TE 109.31 piece



Varistor

110 - 240 V AC/DC

TE 109.57 piece



Relay series 55 / 24 V DC

type 55.34.9.024.0040

TE 109.21 piece



Relay socket

SERIES 55



TE 109.50 piece

Ejection of relay socket

SERIES 55



TE 109.51 piece

Relay socket

SERIES 40



TE 109.52 piece

Ejection of relay socket

SERIES 40 LOW



TE 109.53 piece

Ejection of relay socket

SERIES 40 HIGH



TE 109.54 piece

Relay Module

4 times 24 V DC



TE 109.104 piece

Off-switch

attachable on TS35
3 closer



TE 173 piece

Control switch

attachable on TS35
1 NC and 1 NO



TE 171 piece

Control button

attachable on TS35
1 NC and 1 NO

TE 172 piece



Auxiliary contact block for MS116

lateral installation

TE 110.51 piece



Pulse relay

TE175 24 V AC / 12 V DC
TE175.1 230 AC / 115 DC

piece



Power release switch ASM

type AA1
230 V AC

TE 128 piece



Motor protection switch MS 116

TE 110 0,63 A
TE 110.1 1,0 A
TE 111 1,6 A
TE 112 2,5 A
TE 113 4,0 A
TE 113.1 6,3 A
TE 113.2 10,0 A
TE 113.3 16,0 A

piece



example

Main contactor AF9 30-10

with auxiliary contact block CA4 - 22M

TE 114.11 24-60 V AC
TE 114.13 100-250 V AC
TE 114.14 250-500 V AC

piece



example

Auxiliary contact block for MS116

front side installation

TE 110.50 piece



Motor protection relay TA25

TE 140	1,0 A	TE 140.6	5,0 A
TE 140.1	1,4 A	TE 140.7	6,5 A
TE 140.2	1,8 A	TE 140.8	8,5 A
TE 140.3	2,4 A	TE 140.9	11,0 A
TE 140.4	3,1 A	TE 140.10	14,0 A
TE 140.5	4,0 A	TE 140.11	19,0 A

piece



example

Circuit breaker K 2

2 A

TE 118 piece



Circuit breaker

- TE 118.1 6 A
- TE 118.2 10 A
- TE 118.3 16 A

piece



example

Screw cap 16 A

TE 120 piece



NEOZED fuse 4 A

TE 119.1 piece



NEOZED fuse 6 A

TE 119.2 piece




NEOZED fuse 10 A

TE 119.3 piece



NEOZED fuse 2 A

TE 119 piece



NEOZED fuse 16 A

TE 119.4 piece



Fuse holder
for fuses 5 x 20 mm



TE 122 piece

Bridging relay for AS3

type 44.62.9.024.0000



TE 150.52 piece

Locking relay for AS3

type 40.31.9.024.0000



TE 150.53 piece

Transformer 190 VA

prim. 230/400 VAC
sec. 22/230 VAC
type „F“



TE 125 piece

Transformer 25 VA

prim. 230 VAC
sec. 22 VAC
type „Saudi“



TE 126 piece

Transformer 75 VA

prim. 230 VAC
sec. 22/230 VAC
type „D“



TE 127 piece

Transformer 115 VA

prim. 230 VAC
sec. 22/48 VAC



TE 160 piece

Transformer 115 VA

prim. 230 VAC +- 10 V
sec. 22/48 VAC + 24 VDC



TE 161 piece

Transformer 300 VA

prim. 230/400 VAC +- 20 V
sec. 22/230 VAC + 24 VDC
type „Max“



TE 133 piece

Locking device SA3



TE 141 piece

Transformer 250 VA

prim. 230/400 VAC +- 20 V
sec. 22/48/230 VAC



TE 162 piece

Micro-processor controller SKG-AS3

without casing

Please give us the SKG lift number!



TE 150.1 piece

Transformer 707 VA

prim. 230/400 VAC +- 20 V
sec. 48/230 VAC + 24 VDC



TE 163 piece

Power relay for AS3

type 62.33.9.024.0300



TE 150.50 piece

Transformer 510 VA

prim. 420/460/480 VAC +- 20 V
sec. 22/48-50/230 VAC + 24 VDC



TE 164 piece

Reversing relay for AS3

type 55.32.9.024.0000



TE 150.51 piece

Set of connectors
for AS3 controller



TE 320.1 set

Push button board SKG-ES2
for AS3 controller

Please give us the programming!



TE 250.1 piece

Push button board SKG-ES5
for AS3 controller

Please give us the programming!



TE 262 piece

Contact transmitter with LED

TE 251 for ES-2 / ES-5
for plugging on the board

TE 251.1 for ES-5 with cable



piece

Power supply


power supply 24 V 1A



TE 823.1 piece

Light signal

AP green 24 V



TE 823.2 piece

Push button aperture for AS3



TE 253 piece

Bus cable 10-strands

10 x FBL 28 grey

TE 321 m
TE 321.1 halogen-free m



example

SKG Light box for AS 3

TE 822 piece



Electric gong with casing

TE 841 piece



SKG Service box AS 3

TE 820 piece



Push button element CTLP

illuminated switch

TE 207 piece



Bluetooth adapter BTM-1

AS 3

TE 824.1 piece



In-use light element CLP

TE 208 piece



SKG switch box IO-4 for AS 3

for special functions

TE 823 piece



In-use light element AL5

lamp socket

TE 210 piece



In-use-light element QXJN KS

luminous fitting without cap

TE 211 piece



In-Use-light element KRN

TE 226 piece



Push button element ATL

TE 213 piece



Push button element KRT

TE 227 piece



Push button element QXJT

without bezel

TE 214 piece



Key switch KRSSA 18 E

TE 231 piece



Push button silver

TE 254 piece



Key switch element QXJSSDGA17E

TE 234 piece



Key switch J-KU 1-1R/2

without cylinder



TE 235 piece

Stop switch QXJV



TE 232.1 piece

Emergency stop button



TE 236 piece


In-use-light element EL9R

lamp socket



TE 218 piece

Contactor MTI



TE 256 piece

Push button element ETLR

contactor



TE 216 piece

Latching element MFL



TE 257 piece

Push button element ETR



TE 230 piece

Buzzer 24 V AC

TE 219 piece



Lamp tool LZ

TE 225 piece



Contactor BT

1 opener and 1 closer


TE 233 piece



Bulb with twist-on-plug

type BA9S 24 V 2 W

TE 220 piece



Contactor BTI

2 closers

TE 259 piece



Bulb with plug-base

type KTL-T5,5K 30 V 40 mA

TE 222 piece



Contactor BTL

1 opener, 1 closer and lamp socket

TE 258 piece



LED with plug-base

type L5.5K 24 AC WS
white

TE 240 piece



LED with twist-on-plug

type LD9 24 V AC/DC WS



TE 243 piece

Flat caps for push button element QJNE

- TE 246 green
- TE 246.1 clear
- TE 246.2 yellow
- TE 246.3 blue
- TE 246.4 red



piece

Bezels for QXJT and QXJN KS

- TE 223 green
- TE 223.1 clear
- TE 223.2 yellow
- TE 223.3 blue
- TE 223.4 red



piece

Bezels for KRT and KRN

- TE 270.1 green
- TE 270.2 yellow
- TE 270.3 red



piece

Number plates for KRT and KRN

TE 271.1	1	TE 271.8	8
TE 271.2	2	TE 271.9	9
TE 271.3	3	TE 271.10	0
TE 271.4	4	TE 271.11	K
TE 271.5	5	TE 271.12	U
TE 271.6	6	TE 271.13	E
TE 271.7	7	TE 271.14	Occupied

Other markings on request.

piece



example

Number plates for QXJT and QXJN KS

TE 224.1	1	TE 224.8	8
TE 224.2	2	TE 224.9	9
TE 224.3	3	TE 224.10	0
TE 224.4	4	TE 224.11	K
TE 224.5	5	TE 224.12	U
TE 224.6	6	TE 224.13	E
TE 224.7	7	TE 224.14	Occupied

Other markings on request.

piece



example

Intercom station type WSK-T2

fitting without front plate

TE 803 piece



Magnet switch

type MAK-4214-P-3

TE 318 piece



Magnet switch BN65-RZv




TE 336 piece

Push button board PL 2017

Replace push button board PL 1017.

TE 201.20.27	3 stops	piece
TE 202.20.27	4 stops	piece
TE 203.20.27	5 stops	piece
TE 204.20.27	6 stops	piece




Push button board PL 3017

TE 200.30.27	2 stops	piece
TE 201.30.27	3 stops	replaced by TE 201.40.27
TE 202.30.27	4 stops	piece
TE 203.30.27	5 stops	piece
TE 204.30.27	6 stops	piece



Push button board PL4017


TE 200.40.27	2 stops	piece
TE 201.40.27	3 stops	piece
TE 202.40.27	4 stops	piece
TE 203.40.27	5 stops	piece
TE 204.40.27	6 stops	piece



Push button board PL 5017, version WAGO

for 6 and 4-pole cables and voltage AC


TE 200.50.27.01	2 stops	piece
TE 201.50.27.01	3 stops	piece
TE 202.50.27.01	4 stops	piece
TE 203.50.27.01	5 stops	piece
TE 204.50.27.01	6 stops	piece



Push button board PL 5017, version WAGO

for 6 and 4-pole cables and voltage DC


TE 200.50.27.02	2 stops	piece
TE 201.50.27.02	3 stops	piece
TE 202.50.27.02	4 stops	piece
TE 203.50.27.02	5 stops	piece
TE 204.50.27.02	6 stops	piece



Push button board PL 5017, version RJ45

for plug 6-pole and voltage AC


TE 200.50.27.03	2 stops	piece
TE 201.50.27.03	3 stops	piece
TE 202.50.27.03	4 stops	piece
TE 203.50.27.03	5 stops	piece
TE 204.50.27.03	6 stops	piece



Push button board PL 5017, version RJ45

for plug 6-pole and voltage DC

TE 200.50.27.04	2 stops	piece
TE 201.50.27.04	3 stops	piece
TE 202.50.27.04	4 stops	piece
TE 203.50.27.04	5 stops	piece
TE 204.50.27.04	6 stops	piece



Inductive proximity switch

type IFL15-300M-10P

TE 312.1 piece



Roller shutter switch

type ES02-11Y

TE 305 piece



Magnet switch board SKG

replacement for NUNN 710

TE 301.2 piece



Position switch
ENK-U1Z Riw

replace ES 01-11Z and ES 01-01Z

TE 307 piece



Switch R1-AR

1 opener

TE 303 with spring return
TE 303.1 without spring return

piece



Position switch

TE 315 left Z3K 236-11Z
TE 315.1 right Z3K 236-11Z U180

piece



Switch R1-AER

1 opener and 1 closer

TE 304 piece



Position switch

Replace T3K 236-11Z

TE 331 IN65-U1Z KNK

piece



Position switch

type ZR 336-02z

TE 316 piece



Position switch

type TR 236-11z

TE 317 piece



Position switch

type ZR 256-02Z

TE 330 piece



example

Contact for bi-parting cabin door

type T4K 236-11z

TE 137 piece



Position switch

type TR 256-02Z

TE 330.1 piece



Position switch

type ZK4 236-11z

TE 333 piece



Position switch

type ZR236-11zr-1816

TE 334 piece



Position switch

type T4VH 336-11z

TE 335 piece



Set of fuses for AS3 controller

TE 320 set



Main current limit switch

type D-A3Z Rw


TE 311 piece



Fuses 5 x 20 MT

TE 123	1,25 A
TE 124	2 A
TE 124.1	200 mA
TE 124.2	315 mA
TE 124.3	1 A
TE 124.4	10 A

piece



Single direction magnet

TE 800 piece



Stop switch

TE 337 piece



Radiant heater

250 W - 230 V

TE 805.3 piece



Main switch

lockable

TE 174 piece



LED for PL push button board

TE 237 piece



Overload device DMS

Transmitter with evaluation device

TE 806 piece



Safety switching device

type MSI-TR1

TE 845 piece



Horn 24 V

Please choose AC or DC

TE 842 piece



Digital Input Modul AC 500

DI

TE 849 piece



Safety light barrier

type SRK 96M/P-1210-T2-29

TE 843 piece



Digital In-/Output Modul AC 500

DX

TE 851 piece



Reflector for safety light barrier

type PTKS 20x40

TE 844 piece



Digital Output Modul AC 500

DO

TE 850 piece



Power Pack MDR 20

24 W - 24 V/1 A

TE 852 piece



Emergency power supply

TE 840 piece



Power Pack MDR 40

40 W - 24 V/1,74 A

TE 853 piece



Emergency battery

12 V / 7,2 Ah

TE 847 piece



Power Pack MDR 60

60 W - 48 V/1,25 A

TE 854 piece



Time relay

16 A - 250 V / 24...240 V AC-DC

TE 855 piece



Switching power supply

24 V

TE 846 piece



Module for emergency stop

48 V AC

TE 856 piece



Brake incl. rectifier

for machine BO 18.24



TF 504 piece

Brake 9 Nm incl. rectifier

for drive units AG 8.30 - 45.24 and AG 100-200



TF 301 piece

Brake 20 Nm incl. rectifier

for drive units AG 65.24 to AG 85.24



TF 321 piece

Brake 32 Nm incl. rectifier

for drive units AG 550 and AG 600



TF 322 piece

Brake incl. rectifier

for machine GFC 32.24 1B



TF 340 piece

Brake incl. rectifier

for machine GFC 32.24 2B



TF 342 piece

Brake incl. rectifier

for machine GFC 45.24 2B



TF 341 piece

Brake incl. rectifier

for machine GFC 90.25 2B



TF 327 piece

Brake rotor Ø 74,42 mm

for drive unit BO 18.24

TF 504.1 piece



Brake rotor Ø 114,7 mm

for disc brake 32 Nm
for drive units AG 550 and AG 600

TF 322.2 **Not available!**



Brake rotor Ø 76,97 mm

for disc brake 9 Nm
for drive units AG 8.30 to AG 45.24

TF 301.3 piece



Brake rotor Ø 77,8 mm

for drive unit GFC 32.24 1B

TF 340.2 **Not available!**



Brake rotor Ø 94,6 mm

for disc brake 16 Nm
for drive units AG 300 to AG 400

TF 302.2 **Not available!**



Brake rotor set Ø 77,8 mm

for drive unit GFC 32.24 2B

TF 342.2 **Not available!**



Brake rotor Ø 95 mm

for disc brake 20 Nm
for drive units AG 65.24 to AG 85.24

TF 321.2 piece



Brake rotor set Ø 94,6 mm

for drive unit GFC 90.25 2B

TF 327.2 **Not available!**



Brake rotor set Ø 95,8 mm

for drive unit GFC 45.24 2B



TF 341.2 **Not available!**

Brake release lever

for drive unit GFC 90.25 2B



TF 327.1 **Not available!**

Brake release lever

for brake 32 Nm



TF 322.1 **Not available!**

Rectifier for disc brake

for drive unit BO 18.24



TF 505 piece

Brake release lever

for drive unit GFC 32.24 1B
and GFC 32.24 2B



TF 342.1 **Not available!**

Rectifier for disc brake

for 9 Nm for drive units
AG 8.30 - 85.24 to GFC 32.24 - 45.24



TF 301.2 piece

Brake release lever

for drive unit GFC 45.24 2B



TF 341.1 **Not available!**

Rectifier for disc brake


for drive units AG 50 to AG 600



TF 316 piece

Divertor unit

for 2 chains 5/8 x 3/8“
incl. chain weels and buffer



piece

Chain wheel 5/8x3/8“ Z20

boss Ø 25 mm



piece

Chain wheel 5/8x3/8“ Z38

boss Ø 40 mm



piece

Hub for traction sheave, cast

- TF 406.1 diameter Ø 35 mm

Not available!
- TF 406 diameter Ø 40 mm



piece

Hub for traction sheave, steel

- TF 407 diameter Ø 30 mm
- TF 407.1 diameter Ø 35 mm
- TF 407.2 diameter Ø 40 mm



piece

Hub for traction sheave, steel

- TF 407.3 diameter Ø 45 mm
- TF 407.4 diameter Ø 50 mm
- TF 407.5 diameter Ø 55 mm



piece

Rope

- TF 706 Ø 5,0 mm m
- TF 707 Ø 6,0 mm m



Rope Ø 6 mm Warrington



m

Rope anchorage

for rope Ø 5,0 mm



TF 712 piece

Rope anchorage

for rope Ø 6,0 mm



TF 712.1 piece

Rope anchorage

for rope Ø 6,5 mm



TF 712.2 piece

Rope anchorage with clamp


for rope Ø 6,0 mm
Australian standard



TF 721 piece

Rope anchorage with clamp

for rope Ø 8,0 mm
Australian standard



TF 721.1 **Not available!**

Rope clamp

for rope Ø 5,0 mm



TF 709 piece

Rope clamp

for rope Ø 6,0 mm



TF 709.1 piece

Rope clamp

for rope Ø 6,5 mm



TF 709.2 piece

Chain 5/8 x 3/8“ standard



TF 700 m

Chain 1181

for door drive, bi-parting door



TF 702.1 m

Chain 5/8 x 3/8“ ISO-MAX 50 HV



TF 701 m

Chain joint for chain 1181

for automatic door



TF 703.3 piece

Chain joint for chain

5/8 x 3/8“, standard



TF 703 piece

Chain endpiece

for chain 5/8 x 3/8“ standard



TF 720.2 piece

Reinforced chain joint

for chain 5/8 x 3/8“ 50 HV for ISO-MAX



TF 703.2 piece

Chain endpiece ISO-MAX

for chain 5/8 x 3/8“ 50 HV



TF 720 piece

Chain endpiece ISO-MAX

for chain 5/8 x 3/8" 50 HV with thread
for chain mounting on structure



TF 720.1 piece

Flange bearing SBPFL 208



TF 602.2 piece

Plummer block UCP 208

Ø 40 mm



TF 601 piece

Traction sheave Ø 250 mm

for 2 ropes



TF 400 piece

Plummer block UCP 211

Ø 55 mm



TF 602 piece

Traction sheave Ø 300 mm

for 2 ropes



TF 401 piece

Flange bearing UCFL 210



TF 602.1

Traction sheave Ø 300 mm

for 3 ropes



TF 403 piece

Traction sheave Ø 300 mm

for 4 ropes

TF 404 piece



Pulley Ø 250 mm

for 2 ropes

TF 502 piece



Traction sheave Ø 350 mm

for 4 ropes

TF 405 **Not available!**



Pulley Ø 250 mm

for 2 ropes for units with more than 500 kg capacity

TF 503.2 piece



Pulley Ø 200 mm

for 1 rope

TF 500 piece



Pulley Ø 250 mm

for 3 ropes

TF 503 piece



Pulley Ø 200 mm

for 2 ropes

TF 501 piece



Pulley Ø 250 mm

for 4 ropes

TF 503.1 piece



SKG

Metallschneider GmbH

Mühlenfeld 22
33154 Salzkotten
GERMANY

Phone +49 (0) 2948 9480-0
info@metallschneider.de

www.metallschneider.de

